



- F1 = ATC-10
- F2 = ATC-10
- F3 = ATC-15
- F4 = ATC-15
- F5 = ATC-15
- F6 = ATC-15
- F7 = ATC-15
- F8 = ATC-20
- F9 = ATC-20
- F10 = ATC-10
- F11 = ATC-10
- F12 = ATC-15
- F13 = ATC-15
- F14 = ATC-20
- F15 = ATC-20
- F16 = ATC-20
- F17 = ATC-20
- F18 = ATC-15
- F19 = ATC-30
- F20 = ATC-30
- F21 = ATC-15
- F22 = ATC-15
- F23 = ATC-15
- F24 = ATC-15
- F25 = ATC-4
- F26 = ATC-15
- F27 = ATC-15
- F28 = ATC-15
- F29 = ATC-15
- F30 = ATC-15
- F31 = ATC-15
- F32 = ATC-25
- F33 = ATC-20

- RLY-3 = CB1F-12V
- RLY-8 = CB1F-12V
- RLY-10 = CB1F-12V
- RLY-11 = CB1F-12V
- RLY-14 = CB1F-12V
- RLY-15 = CB1F-12V
- RLY-19 = CB1F-12V
- RLY-20 = CB1F-12V
- RLY-21 = CB1F-12V
- RLY-22 = CB1F-12V

"OFF, #1 & ON, #2" = Door Close with External Limit Input, Terminal #1.
 "ON, #1 & OFF, #2" = Door Close with Internal Limit.
 "OFF, #3 & ON, #4" = Door Open with External Limit Input, Terminal #2.
 "ON, #3 & OFF, #4" = Door Close with Internal Limit.

Entry Door Inhibit
 Rear Door System Off
 Inhibit Rly-3 Domelight

Selects NO or NC circuits to "LOCK" "Gear Shift" will not permit transmission "Engage".

Select Positive or Negative output for "Lift Sol." Terminal #12.

Placing D/SW-E "ON" provides constant output at "Terminal 28".

ADA Momentary #3 ON & #1 OFF
 ADA Maintained #3 OFF & #1 ON
 STOP Momentary #2 ON & #4 OFF
 STOP Maintained #2 OFF & #4 OFF

SHIELD